



SG 1080



PRODUCT INFORMATION

- **Operation:** hand
- **Range:** S
- **Fitting:** ceiling, wall, suspended
- **Colours:** white RAL 9016; special colours or anodised aluminum possible
- **Fabrics:** refer to Silent Gliss fabric collection


Features:

- Bendable

SYSTEM SPECIFICATIONS

A. PROFILE

Profile and bending information




SG 1080p

Profile

Radius:
✓ 6 cm, 10 cm, >30 cm

B. HOW TO MEASURE



A: System width
B: System height
C: Distance between floor and fabric

C. SPECIFICATION TEXT


Silent Gliss SG 1080 Hand Operated Curtain Track System. Comprises aluminium profile SG1080 supplied made to measure in silver anodised or powder coated white / matt white / anodic grey / antique bronze / charcoal with gliders SG 3533 at 14/m and 2 end covers SG 3667/ end stops SG 3016 per length. Top fixed with brackets SG 3603 at max. 600mm centres / wall fix with universal brackets SG 3630 / SG 3655 / SG 3660/ SG Smart Fix at max. 600mm centres.

FITTING

A. FITTING INFORMATION



Fixing points

For detailed fitting information, visit the [Silent Gliss website](#).



B. CEILING FITTING


Bracket SG 3603




SG 3603
Bracket

C. WALL FITTING


Smart Fix



Smart Fix SG 11200 - SG 11205 and bracket SG 3603:
Screw SG 10492 (M4x8) needed.




Square Smart Fix SG 11210 - SG 11215 and bracket SG 3603:
Screw SG 10492 (M4x8) needed.



Universal Smart Fix SG 11154 - SG 11156 and bracket SG 3603:
Screw SG 10277 (M4x12) needed.

Smart Fix	X mm
SG 11200 / SG 11210	70
SG 11201 / SG 11211	90
SG 11202 / SG 11212	110
SG 11203 / SG 11213	130
SG 11204 / SG 11214	160
SG 11205 / SG 11215	210
SG 11154	120-148
SG 11155	150-178
SG 11156	200-228




SG 3603
Bracket




SG 10492
Pan head screw M4x8




SG 10277
Pan head screw M4x12




SG 11200
Smart Fix 60 mm




SG 11201
Smart Fix 80 mm




SG 11202
Smart Fix 100 mm




SG 11203
Smart Fix 120 mm




SG 11204
Smart Fix 150 mm




SG 11205
Smart Fix 200 mm




SG 11210
Square Smart Fix 60 mm




SG 11211
Square Smart Fix 80 mm




SG 11212
Square Smart Fix 100 mm




SG 11213
Square Smart Fix 120 mm




SG 11214
Square Smart Fix 150 mm




SG 11215
Square Smart Fix 200 mm



SG 11154
Universal Smart Fix 120 mm




SG 11155
Universal Smart Fix 150 mm




SG 11156
Universal Smart Fix 200 mm


**Universal brackets
SG 3630, SG 3655,
SG 3660**




Bracket	X mm
SG 3630	33
SG 3655	48
SG 3660	63



SG 3630
Bracket 35 mm





SG 3655
Bracket 50 mm



SG 3660
Bracket 65 mm


D. SUSPENDED FITTING

Hanger SG 3639 /
wall support SG 3602



SG 3602

Wall support



SG 3639

Hanger

GENERAL NOTES

Dimensions

- Measurements are in mm except where indicated.
- Max. kg relates to fabric incl. accessories.
- Stack size depends on curtain make-up and fabric thickness.
- Distance between gliders max. 80 mm / distance between rollers max. 100 mm.
- Recommended distance floor / fabric: 20 mm.
- In order to determine system height (B), the smallest room height must be taken into account.

Fitting





- Installation by qualified fitter only.
- Number of brackets and fitting positions / fixing points vary depending on fitting surface, system weight, fabric make-up, screw / fixing type and obstacles.
- Qualified fitter must use appropriate screws / fixings for each situation.
- Profile lip if applicable to be installed to room side.

Child Safety





























- All relevant Silent Gliss systems correspond to child safety EN 13120.
- All parties involved must comply with EN 13120.





















PARTS

A. STANDARD PARTS

	SG 1080p Profile
	SG 3533 Glider
	SG 3630 Bracket 35 mm
	SG 3667 End cover

B. OPTIONAL PARTS

	SG 3016 End stop		SG 3602 Wall support
	SG 3020 Hook		SG 3603 Bracket
	SG 3032 Spring stop		SG 3604 Corner connector
	SG 3070 End stop		SG 3618 Wall bracket
	SG 3071 End stop		SG 3620 Connection bridge
	SG 3151 Spacer		SG 3626 Return holder
	SG 3511 Glider		SG 3638 Corner connector
	SG 3534 Glider 3533 on strip		SG 3639 Hanger
	SG 3548 Glider		SG 3648 Eyelet
	SG 3562 Heading tape		SG 3655 Bracket 50 mm
	SG 3570 Glider		SG 3660 Bracket 65 mm
	SG 3571 Hook		SG 6146 Hook
	SG 3582 Hook		SG 10277 Pan head screw M4x12
	SG 3599 Hook		SG 10430 Draw rod 50 cm

**SG 10431***Draw rod 75 cm***SG 10432***Draw rod 100 cm***SG 10433***Draw rod 125 cm***SG 10434***Draw rod 150 cm***SG 10492***Pan head screw M4x8***SG 11154***Universal Smart Fix 120 mm***SG 11155***Universal Smart Fix 150 mm***SG 11156***Universal Smart Fix 200 mm***SG 11200***Smart Fix 60 mm***SG 11201***Smart Fix 80 mm***SG 11202***Smart Fix 100 mm***SG 11203***Smart Fix 120 mm***SG 11204***Smart Fix 150 mm***SG 11205***Smart Fix 200 mm***SG 11210***Square Smart Fix 60 mm***SG 11211***Square Smart Fix 80 mm***SG 11212***Square Smart Fix 100 mm***SG 11213***Square Smart Fix 120 mm***SG 11214***Square Smart Fix 150 mm***SG 11215***Square Smart Fix 200 mm***SG 11335***End stop*

