


# SG 1280

---



## PRODUCT INFORMATION

- **Operation:** hand
- **Range:** M - L
- **Fitting:** ceiling, wall
- **Colours:** white RAL 9016; special colours or anodised aluminum possible
- **Fabrics:** refer to Silent Gliss fabric collection


### **Features:**

- Bendable

# SYSTEM SPECIFICATIONS

## A. PROFILE

Profile and bending information




**SG 1280p**

Profile

Radius:  
✓ 15 cm, 20 cm

## B. HOW TO MEASURE



A: System width  
B: System height  
C: Distance between floor and fabric

## C. SPECIFICATION TEXT


**Silent Gliss SG 1280 Hand Operated Curtain Track System.** Comprises aluminium profile SG 1280 supplied made to measure in powder coated white, with 2 end covers SG 3985. Face fixed with nylon bracket SG 3630 / SG 3655 / SG 3660 / SG Smart Fix / top fixed with nylon bracket 3603 at max. 600 mm centres.

# FITTING

## A. FITTING INFORMATION



Fixing Points

For detailed fitting information, visit the [Silent Gliss website](#).



## B. CEILING FITTING



### Bracket SG 3603




**SG 3603**  
Bracket

## C. WALL FITTING


### Universal brackets SG 3630, SG 3655, SG 3660



**SG 3630**  
Bracket 35 mm




**SG 3655**  
Bracket 50 mm



**SG 3660**  
Bracket 65 mm


Bracket	X mm
SG 3630	42
SG 3655	57
SG 3660	72

### Smart Fix




**Smart Fix SG 11200 - SG 11204 and bracket SG 3603:**  
Screw SG 10492 (M4x8) needed.


Smart Fix	X mm
SG 11200 / SG 11210	80
SG 11201 / SG 11211	100
SG 11202 / SG 11212	120
SG 11203 / SG 11213	140
SG 11204 / SG 11214	170
SG 11154	130-158
SG 11155	160-188
SG 11156	210-238



**Square Smart Fix SG 11210 - SG 11214 and bracket SG 3603:**  
Screw SG 10492 (M4x8) needed.



**Universal Smart Fix SG 11154 - SG 11156 and bracket SG 3603:**  
Screw SG 10277 (M4x12) needed.




**SG 3603**  
Bracket




**SG 10277**  
Pan head screw M4x12




**SG 10492**  
Pan head screw M4x8




**SG 11200**  
Smart Fix 60 mm




**SG 11201**  
Smart Fix 80 mm




**SG 11202**  
Smart Fix 100 mm




**SG 11203**  
Smart Fix 120 mm




**SG 11204**  
Smart Fix 150 mm




**SG 11210**  
Square Smart Fix 60 mm




**SG 11211**  
Square Smart Fix 80 mm




**SG 11212**  
Square Smart Fix 100 mm




**SG 11213**  
Square Smart Fix 120 mm




**SG 11214**  
Square Smart Fix 150 mm



**SG 11154**  
Universal Smart Fix 120 mm



**SG 11155**  
Universal Smart Fix 150 mm



**SG 11156**  
Universal Smart Fix 200 mm

# GENERAL NOTES

## **Dimensions**

- Measurements are in mm except where indicated.
- Max. kg relates to fabric incl. accessories.
- Stack size depends on curtain make-up and fabric thickness.
- Distance between gliders max. 80 mm / distance between rollers max. 100 mm.
- Recommended distance floor / fabric: 20 mm.
- In order to determine system height (B), the smallest room height must be taken into account.

## **Fitting**





- Installation by qualified fitter only.
- Number of brackets and fitting positions / fixing points vary depending on fitting surface, system weight, fabric make-up, screw / fixing type and obstacles.
- Qualified fitter must use appropriate screws / fixings for each situation.
- Profile lip if applicable to be installed to room side.

## **Child Safety**





























- All relevant Silent Gliss systems correspond to child safety EN 13120.
- All parties involved must comply with EN 13120.


# PARTS

## A. STANDARD PARTS

	<b>SG 1280p</b> Profile
	<b>SG 3630</b> Bracket 35 mm
	<b>SG 3911</b> Roller
	<b>SG 3985</b> End cover

## B. OPTIONAL PARTS

	<b>SG 3582</b> Hook		<b>SG 10431</b> Draw rod 75 cm
	<b>SG 3599</b> Hook		<b>SG 10432</b> Draw rod 100 cm
	<b>SG 3603</b> Bracket		<b>SG 10433</b> Draw rod 125 cm
	<b>SG 3620</b> Connection bridge		<b>SG 10434</b> Draw rod 150 cm
	<b>SG 3655</b> Bracket 50 mm		<b>SG 10492</b> Pan head screw M4x8
	<b>SG 3660</b> Bracket 65 mm		<b>SG 11154</b> Universal Smart Fix 120 mm
	<b>SG 3922</b> Roller 3911 on strip		<b>SG 11155</b> Universal Smart Fix 150 mm
	<b>SG 3933</b> Glider 3933 on strip		<b>SG 11156</b> Universal Smart Fix 200 mm
	<b>SG 3935</b> Overlap arm		<b>SG 11200</b> Smart Fix 60 mm
	<b>SG 3936</b> Overlap arm for draw rod		<b>SG 11201</b> Smart Fix 80 mm
	<b>SG 3942</b> End stop		<b>SG 11202</b> Smart Fix 100 mm
	<b>SG 3975</b> Overlap arm		<b>SG 11203</b> Smart Fix 120 mm
	<b>SG 10277</b> Pan head screw M4x12		<b>SG 11204</b> Smart Fix 150 mm
	<b>SG 10430</b> Draw rod 50 cm		<b>SG 11210</b> Square Smart Fix 60 mm




---

**SG 11211**

---

*Square Smart Fix 80 mm*

---




---

**SG 11212**

---

*Square Smart Fix 100 mm*

---




---

**SG 11213**

---

*Square Smart Fix 120 mm*

---



---

**SG 11214**

---

*Square Smart Fix 150 mm*

---

