### création baumann

#### SPRINT COLOR

Semi-transparent curtain fabric in Trevira CS. The plain weave of this fabric features delicate flaming in the direction of the weft. With optimal sheerness and an attractive price performance ratio it is extremely versatile for applications in residential furnishing and in the contract sector.











Use: Transparent curtain fabric

Number of colours: 18

Special colours: - from 300 m / 330 yds without surcharge.

Material: 100% Flameretardant polyester (Trevira CS)

Fabric width: 300 cm/118 inch/3.28 yard

Can be railroaded: Can be railroaded

73 g/m<sup>2</sup> Weight:

Flame-retardant properties:

Additional use:

Care:

Washing (length shrinkage): 0.5%

Dry cleaning (length shrinkage): 1%

Sound absorption: Alpha value 0.10

Light fastness:

Certificates / tests:

\*all testing reports can be downloaded from our website under product details

Special notes:

Fire Test DIN 4102 B1 Fire Test Japan Fire Test Norm BS 5867 Sound absorption Flow resistance


- Optimal combination option with the

dimming fabric Mystery.



## création baumann

# **SPRINT COLOR**





#### SYMBOLS AND PRODUCT INFORMATION

Product information		Material information	
Inherently flame retardant	Free from harmful substances / Oddy	AC	Acetate
		CA	Нетр
Width (cm)	recycled material	со	Cotton
Can be railroaded (only valid for curtains)	Symbol for returning of used fabrics. Only valid in CH and DE.	EA	Elasthan
		GL	Glass fibre
Has to be railroaded	Antimicrobial (counteracts colonisation and multiplying of micro organisms and odours.)	LI	Linen
		MD	Modal
Must not be railroaded	light transmission level Tv, n-h	WE	Metal
		PA	Polyamide
Repeat in warp direction	light reflection level Pv, n-h	PC	Acrylic
		PE	Polyethylene
Repeat in weft direction	light absorption level Av	PI	Paper
Weight (g/m2)	UV transmission level Tuv	PL	Polyester
		PLF	Flameretardant polyester
Yarn dyed solar to	solar transmission level Te, n-h	PLF CS	Flameretardant polyester (Trevira CS)
	Solar dansinission level 10, 11 11	PLF CS ECO	
Piece dyed  Knitted	solar reflection level Pe, n-h  solar absorption level Ae	PN	Polycarbonat
		PP	Polypropylene
		PU	Polyurethan
Woven	OF Openess factor	RA	Ramie
		SE	Silk
Warp print	Usable in a bathroom/wet room (Plissee)	SI	Silicone
		TR	Different material (wood, paper, feathers etc.)
Screen print/burnout	Stain resistant (Plissee)	VI	Viscose
		WM	Wool Mohair
Metalized on one side	Various articles are only available in complete picture repeats.  The price is quoted per repeat in each case.	WV	Wool
Pearl reflex	Additional product information		

#### SYMBOLS AND PRODUCT INFORMATION

### Intended purposes 44 Curtains/Sheers Roller blinds (colours see separate roller blind collection) Panels (process the panels in warp direction to get optimal hang properties) Vertical blinds Roman blinds Upholstery (for heavy use in contract application). Martindale > 30'000 Upholstery (for heavy use in domestic application/for normal use in contract application). 20'000 < Martindale < 30'000 Upholstery (for normal use in domestic application/for careful use in contract application). Martindale < 20'000Loose cover for careful use in domestic application. Martindale < 5'000 **Bedspreads** Table cloth domestic use Wallcovering Textile wallpaper (can be paper backed, minimum quantity) Cushion Acoustical fabrics Adhesive Textiles/Gecko/Gecko in the Box

Fabrics with very high lightfastness for indoor and outdoor use
Blackout BO
Reverso
Plisseé
Comb plisseé