


CALVARO

Upholstery and heavy curtain fabric in Trevira CS; Vigorous brushing of the mottled quality to both sides results in fabric that looks like a classic wool cloth but that is flame retardant. Calvaro is ideal for applications in the contract sector.



Use:	Upholstery fabric
Number of colours:	20
Special colours:	- from 200 m / 220 yds without surcharge.
Material:	100% Flameretardant polyester (Trevira CS)
Fabric width:	140 cm/55 inch/1.53 yard
Weight:	364 g/m ²
Flame-retardant properties:	
Additional use:	
Care:	
Washing (length shrinkage):	1%
Dry cleaning (length shrinkage):	1.5%
Sound absorption:	Alpha value 0.75
Abrasion resistance:	10'000 Martindale
Pilling:	3-4
Light fastness:	6
Certificates / tests:	Fire Test DIN 4102 B1 Brenntest Oenorm B1 EN 13773 Fire Test Japan Fire Test M1 Sound absorption ISO 354 / ISO 11654 Flow resistance DIN EN 29053
Special notes:	- Outstanding acoustic qualities.

*all testing reports can be downloaded from our website under product details



CALVARO



Col. 0301



Col. 0302



Col. 0303



Col. 0304



Col. 0305



Col. 0306



Col. 0307



Col. 0308



Col. 0309



Col. 0310



Col. 0311



Col. 0312



Col. 0313



Col. 0314



Col. 0315



Col. 0316



Col. 0317



Col. 0318



Col. 0319



Col. 0320

SYMBOLS AND PRODUCT INFORMATION

Product information

	Inherently flame retardant
	Width (cm)
	Can be railroded (only valid for curtains)
	Has to be railroded
	Must not be railroded
	Repeat in warp direction
	Repeat in weft direction
	Weight (g/m2)
	Yarn dyed
	Piece dyed
	Knitted
	Woven
	Warp print
	Screen print/burnout
	Metalized on one side
	Pearl reflex

	Free from harmful substances / Oddy
	recycled material
	Symbol for returning of used fabrics. Only valid in CH and DE.
	Antimicrobial (counteracts colonisation and multiplying of micro organisms and odours.)
	light transmission level Tv, n-h
	light reflection level Pv, n-h
	light absorption level Av
	UV transmission level Tuv
	solar transmission level Te, n-h
	solar reflection level Pe, n-h
	solar absorption level Ae
	Openess factor
	Usable in a bathroom/wet room (Plissee)
	Stain resistant (Plissee)
	Various articles are only available in complete picture repeats. The price is quoted per repeat in each case.
	Additional product information

Material information

AC	Acetate
CA	Hemp
CO	Cotton
EA	Elasthan
GL	Glass fibre
LI	Linen
MD	Modal
ME	Metal
PA	Polyamide
PC	Acrylic
PE	Polyethylene
PI	Paper
PL	Polyester
PLF	Flameretardant polyester
PLF CS	Flameretardant polyester (Trevira CS)
PLF CS ECO	
PN	Polycarbonat
PP	Polypropylene
PU	Polyurethan
RA	Ramie
SE	Silk
SI	Silicone
TR	Different material (wood, paper, feathers etc.)
VI	Viscose
WM	Wool Mohair
WV	Wool

SYMBOLS AND PRODUCT INFORMATION

Intended purposes



Curtains/Sheers



Roller blinds (colours see separate roller blind collection)



Panels (process the panels in warp direction to get optimal hang properties)



Vertical blinds



Roman blinds



Upholstery (for heavy use in contract application).
Martindale > 30'000



Upholstery (for heavy use in domestic application/for normal
use in contract application). 20'000 < Martindale < 30'000



Upholstery (for normal use in domestic application/for careful
use in contract application). Martindale < 20'000



Loose cover for careful use in domestic application.
Martindale < 5'000



Bedspreads



Table cloth domestic use



Wallcovering



Textile wallpaper (can be paper backed, minimum quantity)



Cushion



Acoustical fabrics



Adhesive Textiles/Gecko/Gecko in the Box



Fabrics with very high lightfastness for indoor and outdoor use



Blackout



Reverso



Plissé



Comb plissé