



Trafalgar  
Transparent 2000mm

DECORQUIP®




# Trafalgar


If you're looking to gently filter the light coming in to your home, then Trafalgar is a perfect option. Use fabric to provide a magical atmosphere, taking advantage of the broad colour palette.

- ✔ 36 colours - find the perfect hue to contrast or match your décor
- ✔ Can also be used to protect other high-value soft furnishings


200100

Blanc





200100 Blanc



203100 Frost



203600 Mushroom




203500 Feather



200400 Buff




200300 Croissant



200500 Dune




200600 Mocha



202400 Ocean Wave



203000 Metal



203200 Cinder



200700 Mud



202500 Turquoise



202900 Stone Blue



203400 Castle Rock



200800 Coffee Bean



202800 True Blue



202700 Jeans Blue



202600 Blue Night




203300 Dark Shadow



200200 Vanilla




202000 Summer




201900 Mimosa



202100 Antique Moss



201500 Apricot




201800 Ocker




202300 Leaf Green



202200 Peppermint



201600 Rust



201700 Chili



201100 Lilac




201000 Purple



201400 Poppy Red



201300 Pepper



201200 Tango Red



200900 Rose Taupe

| Trafalgar                     |  |
|-------------------------------|--|
| Base material                 | 100% PES                                     |
| Finish                        | Impregnated                                  |
| Cleaning                      | Damp cloth                                   |
| Recommended cut method        | Cold cut possible, ultra-sonic recommended   |
| Roller roll length            | ca. 35m - 38.2yd                             |
| Roller width                  | 2000mm - 78.74in                             |
| Shrinkage                     | ≤ 3%   |
| Weight                        | 125g/m <sup>2</sup> - 3.69oz/yd <sup>2</sup> |
| Thickness                     | 0.39mm - 0.015in                             |
| Light fastness                | ≥ 4 ISO105                                   |
| Suitable for moist conditions | Yes  |
| FR                            | No   |