


LORD III

Dense curtain fabric; Mottled basic article in Trevira CS. Lord III captivates with a soft drape quality and a textured surface. The hardwearing fabric with good sound absorption can be used for curtaining and upholstery. The colour palette includes subtle natural tones and bright accent colours.





Use:	Dense curtain fabric
Number of colours:	35
Special colours:	- from 240 m / 260 yds without surcharge.
Material:	100% Flameretardant polyester (Trevira CS)
Fabric width:	150 cm/59 inch/1.64 yard
Weight:	349 g/m ²
Flame-retardant properties:	
Additional use:	       
Care:	    
Washing (length shrinkage):	1%
Dry cleaning (length shrinkage):	1%
Sound absorption:	Alpha value 0.75
Abrasion resistance:	60'000 Martindale
Pilling:	4
Light fastness:	5-6
Certificates / tests:	Fire Test DIN 4102 B1 Fire Test SNV 198898 Fire Test Norm BS 5867 Fire Test Japan Sound absorption ISO 354 / ISO 11654 Flow resistance DIN EN 29053

*all testing reports can be downloaded from our website under product details



LORD III

					
Col. 0104	Col. 0107	Col. 0108	Col. 0109	Col. 0110	Col. 0121
					
Col. 0151	Col. 0152	Col. 0153	Col. 0159	Col. 0161	Col. 0165
					
Col. 0166	Col. 0167	Col. 0180	Col. 0181	Col. 0182	Col. 0183
					
Col. 0184	Col. 0185	Col. 0186	Col. 0187	Col. 0188	Col. 0189
					
Col. 0190	Col. 0191	Col. 0192	Col. 0193	Col. 0194	Col. 0195
					
Col. 0196	Col. 0197	Col. 0198	Col. 0199	Col. 0200	

SYMBOLS AND PRODUCT INFORMATION

Product information

	Inherently flame retardant
	Width (cm)
	Can be railroaded (only valid for curtains)
	Has to be railroaded
	Must not be railroaded
	Repeat in warp direction
	Repeat in weft direction
	Weight (g/m2)
	Yarn dyed
	Piece dyed
	Knitted
	Woven
	Warp print
	Screen print/burnout
	Metalized on one side
	Pearl reflex

	Free from harmful substances / Oddy
	recycled material
	Symbol for returning of used fabrics. Only valid in CH and DE.
	Antimicrobial (counteracts colonisation and multiplying of micro organisms and odours.)
	light transmission level Tv, n-h
	light reflection level Pv, n-h
	light absorption level Av
	UV transmission level Tuv
	solar transmission level Te, n-h
	solar reflection level Pe, n-h
	solar absorption level Ae
	Openess factor
	Usable in a bathroom/wet room (Plissee)
	Stain resistant (Plissee)
	Various articles are only available in complete picture repeats. The price is quoted per repeat in each case.
	Additional product information

Material information

CO	Cotton
GL	Glass fibre
LI	Linen
MD	Modal
ME	Metal
PA	Polyamide
PC	Acrylic
PE	Polyethylene
PL	Polyester
PLF	Flameretardant polyester
PLF CS	Flameretardant polyester (Trevira CS)
PLF CS ECO	Flameretardant polyester (Trevira CS Eco)
PN	Polycarbonat
PP	Polypropylene
PU	Polyurethan
RA	Ramie
SE	Silk
SI	Silicone
TR	Different material (wood, paper, feathers etc.)
VI	Viscose
WM	Wool Mohair
WV	Wool

SYMBOLS AND PRODUCT INFORMATION

Intended purposes

	Curtains/Sheers		Fabrics with very high lightfastness for indoor and outdoor use
	Roller blinds (colours see separate roller blind collection)		Blackout
	Panels (process the panels in warp direction to get optimal hang properties)		Plissé
	Vertical blinds		Comb plissé
	Roman blinds		
	Upholstery (for heavy use in contract application). Martindale > 30'000		
	Upholstery (for heavy use in domestic application/for normal use in contract application). 20'000 < Martindale < 30'000		
	Upholstery (for normal use in domestic application/for careful use in contract application). Martindale < 20'000		
	Loose cover for careful use in domestic application. Martindale < 5'000		
	Bedspreads		
	Table cloth domestic use		
	Wallcovering		
	Textile wallpaper (can be paper backed, minimum quantity)		
	Cushion		
	Acoustical fabrics		
	Adhesive Textiles/Gecko/Gecko in the Box		