création baumann

PRIMACOUSTIC R

Roller blind fabric; Acoustic fabric with a matt look. Application of the latest and innovative technology generates acoustic fabrics which are transparent and matt. The subtle rib texture plays with depth effects and contributes, in conjunction with other factors, to the fabric's excellent sound absorption values.









Use: Roller blinds

Number of colours: 6

Special colours: - from 300 m / 330 yds without surcharge.

Material: 100% Flameretardant polyester (Trevira CS)

Fabric width: 300 cm/118 inch/3.28 yard

Max. width of the system: 250 cm/98 inch/2.73 yard

Max. height of the system: 300 cm/118 inch/3.28 yard

Weight: 125 g/m²

Flame-retardant properties:

N.Y.

Additional use:

Cleaning by a recommended specialist cleaner

Sound absorption: Alpha value 0.40

Light fastness: 6-7

Certificates / tests: Fire Test DIN 4102 B1 Fire Test Japan

*all testing reports can be downloaded from our website under product details

Sound absorption ISO 354 / ISO 11654

Special notes: - Openess factor: 3%



création baumann

PRIMACOUSTIC R





SYMBOLS AND PRODUCT INFORMATION

Product information	oduct information Material information		information
Inherently flame retardant	Free from harmful substances / Oddy	AC	Acetate
		CA	Нетр
Width (cm)	recycled material	со	Cotton
	Symbol for returning of used fabrics. Only valid in CH and DE.	EA	Elasthan
Can be railroaded (only valid for curtains)		GL	Glass fibre
Has to be railroaded	Antimicrobial (counteracts colonisation and multiplying of micro organisms and odours.)	LI	Linen
[F]		MD	Modal
Must not be railroaded	light transmission level Tv, n-h	WE	Metal
<i>X</i> \		PA	Polyamide
Repeat in warp direction	light reflection level Pv, n-h	PC	Acrylic
		PE	Polyethylene
Repeat in weft direction	light absorption level Av	PI	Paper
Majorialist (n/ma)	UV transmission level Tuv	PL	Polyester
Weight (g/m2)		PLF	Flameretardant polyester
Yarn dyed	solar transmission level Te, n-h	PLF CS	Flameretardant polyester (Trevira CS)
		PLF CS ECO	
Piece dyed	solar reflection level Pe, n-h solar absorption level Ae	PN	Polycarbonat
		PP	Polypropylene
Knitted		PU	Polyurethan
Woven	OF Openess factor	RA	Ramie
Woven		SE	Silk
Warp print	Usable in a bathroom/wet room (Plissee)	SI	Silicone
		TR	Different material (wood, paper, feathers etc.)
Screen print/burnout	Stain resistant (Plissee)	VI	Viscose
		WM	Wool Mohair
Metalized on one side	Various articles are only available in complete picture repeats. The price is quoted per repeat in each case.	WV	Wool
Pearl reflex	Additional product information		

SYMBOLS AND PRODUCT INFORMATION

Intended purposes 44 Curtains/Sheers Roller blinds (colours see separate roller blind collection) Panels (process the panels in warp direction to get optimal hang properties) Vertical blinds Roman blinds Upholstery (for heavy use in contract application). Martindale > 30'000 Upholstery (for heavy use in domestic application/for normal use in contract application). 20'000 < Martindale < 30'000 Upholstery (for normal use in domestic application/for careful use in contract application). Martindale < 20'000Loose cover for careful use in domestic application. Martindale < 5'000 **Bedspreads** Table cloth domestic use Wallcovering Textile wallpaper (can be paper backed, minimum quantity) Cushion Acoustical fabrics Adhesive Textiles/Gecko/Gecko in the Box

÷,	Fabrics with very high lightfastness for indoor and outdoor use
ВО	Blackout
	Reverso
	Plisseé
	Comb plisseé