


## LORD III

Dense curtain fabric; Mottled basic article in Trevira CS. Lord III captivates with a soft drape quality and a textured surface. The hardwearing fabric with good sound absorption can be used for curtaining and upholstery. The colour palette includes subtle natural tones and bright accent colours.





|                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|-----------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Use:</b>                             | Dense curtain fabric                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Number of colours:</b>               | 35                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Special colours:</b>                 | - from 240 m / 260 yds without surcharge.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Material:</b>                        | 100% Flameretardant polyester (Trevira CS)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Fabric width:</b>                    | 150 cm/59 inch/1.64 yard                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Weight:</b>                          | 349 g/m <sup>2</sup>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Flame-retardant properties:</b>      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Additional use:</b>                  |      <br>  |
| <b>Care:</b>                            |                                                                                                                                                                                                                                                                |
| <b>Washing (length shrinkage):</b>      | 1%                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Dry cleaning (length shrinkage):</b> | 1%                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Sound absorption:</b>                | Alpha value 0.75                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Abrasion resistance:</b>             | 60'000 Martindale                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Pilling:</b>                         | 4                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Light fastness:</b>                  | 5-6                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Certificates / tests:</b>            | Fire Test DIN 4102 B1<br>Fire Test SNV 198898<br>Fire Test Japan<br>Fire Test Norm BS 5867<br>Sound absorption ISO 354 / ISO 11654<br>Flow resistance DIN EN 29053                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |

\*all testing reports can be downloaded from our website under product details



## LORD III

|                                                                                    |                                                                                    |                                                                                    |                                                                                     |                                                                                      |                                                                                     |
|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|   |   |   |   |   |  |
| Col. 0104                                                                          | Col. 0107                                                                          | Col. 0108                                                                          | Col. 0109                                                                           | Col. 0110                                                                            | Col. 0121                                                                           |
|   |   |   |   |   |  |
| Col. 0151                                                                          | Col. 0152                                                                          | Col. 0153                                                                          | Col. 0159                                                                           | Col. 0161                                                                            | Col. 0165                                                                           |
|   |   |   |   |   |  |
| Col. 0166                                                                          | Col. 0167                                                                          | Col. 0180                                                                          | Col. 0181                                                                           | Col. 0182                                                                            | Col. 0183                                                                           |
|   |   |   |   |   |  |
| Col. 0184                                                                          | Col. 0185                                                                          | Col. 0186                                                                          | Col. 0187                                                                           | Col. 0188                                                                            | Col. 0189                                                                           |
|   |   |   |   |   |  |
| Col. 0190                                                                          | Col. 0191                                                                          | Col. 0192                                                                          | Col. 0193                                                                           | Col. 0194                                                                            | Col. 0195                                                                           |
|  |  |  |  |  |                                                                                     |
| Col. 0196                                                                          | Col. 0197                                                                          | Col. 0198                                                                          | Col. 0199                                                                           | Col. 0200                                                                            |                                                                                     |

**Note:**

Colours may vary. Please ask for our colour samples.

\* As long as stock lasts

SYMBOLS AND PRODUCT INFORMATION

Product information

|                                                                                    |                                             |
|------------------------------------------------------------------------------------|---------------------------------------------|
|    | Inherently flame retardant                  |
|    | Width (cm)                                  |
|    | Can be railroaded (only valid for curtains) |
|    | Has to be railroaded                        |
|    | Must not be railroaded                      |
|    | Repeat in warp direction                    |
|    | Repeat in weft direction                    |
|    | Weight (g/m2)                               |
|    | Yarn dyed                                   |
|    | Piece dyed                                  |
|  | Knitted                                     |
|  | Woven                                       |
|  | Warp print                                  |
|  | Screen print/burnout                        |
|  | Metalized on one side                       |
|  | Pearl reflex                                |

|                                                                                     |                                                                                                                  |
|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|
|    | Free from harmful substances / Oddy                                                                              |
|    |                                                                                                                  |
|    | Antimicrobial (counteracts colonisation and multiplying of micro organisms and odours.)                          |
|    | light transmission level Tv, n-h                                                                                 |
|    | light reflection level Pv, n-h                                                                                   |
|    | light absorption level Av                                                                                        |
|    | UV transmission level Tuv                                                                                        |
|    | solar transmission level Te, n-h                                                                                 |
|    | solar reflection level Pe, n-h                                                                                   |
|    | solar absorption level Ae                                                                                        |
|  | Openess factor                                                                                                   |
|  | Usable in a bathroom/wet room (Plissee)                                                                          |
|  | Stain resistant (Plissee)                                                                                        |
|  | Various articles are only available in complete picture repeats.<br>The price is quoted per repeat in each case. |
|  | Additional product information                                                                                   |

Material information

|        |                                                 |
|--------|-------------------------------------------------|
| AC     | Acetate                                         |
| CA     | Hemp                                            |
| CO     | Cotton                                          |
| EA     | Elasthan                                        |
| GL     | Glass fibre                                     |
| LI     | Linen                                           |
| MD     | Modal                                           |
| ME     | Metal                                           |
| PA     | Polyamide                                       |
| PC     | Acrylic                                         |
| PE     | Polyethylene                                    |
| PI     | Paper                                           |
| PL     | Polyester                                       |
| PLF    | Flameretardant polyester                        |
| PLF CS | Flameretardant polyester (Trevira CS)           |
| PN     | Polycarbonat                                    |
| PP     | Polypropylene                                   |
| PU     | Polyurethan                                     |
| RA     | Ramie                                           |
| SE     | Silk                                            |
| SI     | Silicone                                        |
| TR     | Different material (wood, paper, feathers etc.) |
| VI     | Viscose                                         |
| WM     | Wool Mohair                                     |
| WV     | Wool                                            |

## SYMBOLS AND PRODUCT INFORMATION

### Intended purposes

|                                                                                    |                                                                                                                         |                                                                                   |                                                                 |
|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------|
|    | Curtains/Sheers                                                                                                         |  | Fabrics with very high lightfastness for indoor and outdoor use |
|    | Roller blinds (colours see separate roller blind collection)                                                            |  | Blackout                                                        |
|    | Panels (process the panels in warp direction to get optimal hang properties)                                            |  | Reverso                                                         |
|    | Vertical blinds                                                                                                         |  | Plissé                                                          |
|    | Roman blinds                                                                                                            |  | Comb plissé                                                     |
|    | Upholstery (for heavy use in contract application).<br>Martindale > 30'000                                              |  |                                                                 |
|    | Upholstery (for heavy use in domestic application/for normal use in contract application). 20'000 < Martindale < 30'000 |                                                                                   |                                                                 |
|    | Upholstery (for normal use in domestic application/for careful use in contract application). Martindale < 20'000        |                                                                                   |                                                                 |
|    | Loose cover for careful use in domestic application.<br>Martindale < 5'000                                              |                                                                                   |                                                                 |
|    | Bedspreads                                                                                                              |                                                                                   |                                                                 |
|  | Table cloth domestic use                                                                                                |                                                                                   |                                                                 |
|  | Wallcovering                                                                                                            |                                                                                   |                                                                 |
|  | Textile wallpaper (can be paper backed, minimum quantity)                                                               |                                                                                   |                                                                 |
|  | Cushion                                                                                                                 |                                                                                   |                                                                 |
|  | Acoustical fabrics                                                                                                      |                                                                                   |                                                                 |
|  | Adhesive Textiles/Gecko/Gecko in the Box                                                                                |                                                                                   |                                                                 |