



# DeltaBlock®90

Popular PVC coated polyester blackout screen fabric. All colours matched to BetaScreen 90 allowing flexibility of design.



### **Product Data**

| Composition     | 55% PVC, 15% PES, 30% acrylic coating |
|-----------------|---------------------------------------|
| Widths          | 3000mm                                |
| Openness factor | 0%                                    |
| Thickness       | 0.65mm                                |
| Weight          | 620gsm                                |
| Fire rating     | DIN 4102 B1                           |
| Cleaning        | Wipe clean with a damp cloth          |

# Thermal Control Values

| Colour     | Openness | Code   | Tv | Ts | Rs  | As  |
|------------|----------|--------|----|----|-----|-----|
| White      | 0%       | DB9050 | 0% | 0% | 71% | 29% |
| Beige      | 0%       | DB9080 | 0% | 0% | 71% | 29% |
| Light Grey | 0%       | DB9040 | 0% | 0% | 71% | 29% |
| Charcoal   | 0%       | DB9010 | 0% | 0% | 71% | 29% |
| Iron Grey  | 0%       | DB9060 | 0% | 0% | 71% | 29% |
| Black Grey | 0%       | DB9030 | 0% | 0% | 71% | 29% |



# DeltaBlock®90

Waverley's range of shade fabrics facilitate environmental accreditations such as LEED, BREEAM, SKA and The WELL Building Standard.

### Accreditations

Our fabrics have been rigorously tested and awarded with various accreditations as listed below.

#### Health

Health and wellbeing are Waverley's biggest priority and we pride ourselves on manufacturing responsibly, while also ensuring ethical sourcing across our range.

# **Environmental Responsibility**

At Waverley, we understand the importance of taking responsibility for the effect we have on the environment and the need to reduce our carbon footprint.











